



CODICE PRODOTTO: 1031740

Semicalotta Honeywell Turboshield

Semicalotta per visiera Honeywell Turboshield con bardatura imbottita in attesa di brevetto e semplice sistema di rilascio a pulsante per sostituire lo schermo in pochi secondi

Honeywell

Presentazione generale

Reference Number

1031740

Tipo di prodotto

Protezione occhi- viso

Gamma

Face Shields

Marchio

Honeywell

Settore

- Automotive and Part Manufacturer
- Building and Construction
- Chemical Industries
- Food Industries
- Foundry
- General Industry
- Glass Industries
- Industrial Cleaning
- Iron and steel industry
- Organismo notificato
- Manutenzione
- Medical and Pharmaceutical
- Metal steel
- Offshore
- Petro-chemical
- Ship Building

Utilizzo del prodotto

Il sistema Turboshield è perfetto per i lavoratori esposti alla caduta di oggetti, impatti, schizzi, raggi UV e detriti dispersi nell'aria. Può essere indossato comodamente anche con la maggior parte degli occhiali di protezione, cuffie e dispositivi di protezione delle vie respiratorie.

Funzioni e vantaggi

Caratteristiche

Avvalendoci di un design ergonomico, abbiamo creato una bardatura brevettata che estende la superficie del prodotto del 300%, eliminando i punti di pressione dolorosi e assicurando confort per tutto il giorno

Vantaggi

Comfort superiore.

Caratteristiche

Semplice sistema di sgancio a pulsante che consente di cambiare rapidamente lo schermo

Vantaggi

Cambio facile e rapido dello schermo

Caratteristiche

Manopole ampie ed ergonomiche per la regolazione semplice e veloce, anche con i guanti.

Vantaggi

Vestibilità perfetta e personalizzata.

Caratteristiche

Banda per la testa lavabile, traspirabile e rimovibile

Vantaggi

Igiene migliore

Caratteristiche

Regolazione girevole con punti di blocco della banda in posizione abbassata o alzata

Vantaggi

Utilizzo e regolazione in altezza sul luogo di lavoro semplificati.

Descrizione tecnica

Tipo di occhiali

Schermo

Colorazione lente

Le visiere da utilizzare con il copricapo Turbosshield sono disponibili nei seguenti colori: trasparenti, grigie e con sfumatura 3.0 e 5.0. Possono essere utilizzate anche con la gamma di visiere Supervisor e in varie tonalità di sfumature.

Rivestimento delle lenti

Le visiere da utilizzare con il copricapo Turbosshield sono disponibili con e senza rivestimento.

Colore montatura

Struttura grigio scuro

Frame Material

La semicalotta è realizzata in materiale ABS mentre la sospensione è in Nylon 66

Dimensioni montatura

Dimensioni complessive: 279 mm x 225 mm x 135 mm Dimensioni semicalotta: 178 mm x 225 mm x 109 mm

Design dielettrico

Sì

Certificazioni

Categoria DPI

2

Attestato EU

C1519.6HON

Certificazioni

- EN 166

REACH**Conformità alla Normativa UE 1907/2006 (REACH)**

La/e sostanza/e di seguito indicate possono essere contenute in questo prodotto sopra la soglia dell'0,1% sul peso dell'articolo indicato

Codice del prodotto venduto in Europa	Sostanza > 0,1%
Nome della sostanza	Numero CAS
No Substance Content	

Cataloghi & documentazione

DOC3539_EYEW_DEP6_TurboShield_IT_b

Confezione

Codice EAN

7312550317402

Codice UPC/scatola

17312550317409

Specifiche di imballaggio in scatola singola

Imbustato singolarmente

Unità di misura

ognuno

Paese di origine

Cina

Eye and Face Protection System

Honeywell



Turboshield™
Changing the Face of Safety

Together, we're changing the face of safety

When listening drives innovation, revolutionary change is forged.

You challenged us to improve what's currently on the market and, with two patented and one patent-pending features, the Turbosshield system provides superior comfort for longer wear, the easiest visor exchange available, and optimal balance. The Turbosshield system is perfect for workers exposed to falling or flying objects, impact, splash, UV and airborne debris, it can also be comfortably worn with most goggles, respirators and earmuffs.



Turboshield™



Superior comfort.

Flexible head-cushioning suspension cradle provides 300% greater contact area than traditional suspensions to eliminate pressure points for all-day wear.



Easy visor exchange.

Simple push-button release system allows for easy visor exchange in seconds.



Improved protection.

Feel safer with 50% more chin coverage compared to traditional visors, without the need for bulky accessories.



Personalized, comfortable fit.

Control knobs are large and ergonomically designed for easy adjustment — even while wearing gloves.



Better balance.

Visor slides back 170mm, improving balance and weight distribution when worn with the Turboshield Hard Hat Adapter.



Enhanced clearance.

Dual-hinge hard hat adapter design increases clearance by as much as 100mm and keeps accessory slots open for compatibility with other PPE.

Face Shield



- 1 Patented, secure visor attachment system for the quickest, easiest visor replacement available
- 2 Breathable, removable, washable headband
- 3 Toric lens provides excellent optics, increased field of view and added chin coverage without bulky attachments
- 4 *Replacement visors are available in Clear, Grey, Shade 3.0 and Shade 5.0. Clear and Grey lenses are also available with dual anti-scratch/anti-fog coating for longer visor life and reduced fogging
- 5 Ergonomic, easy-to-use adjustment knobs – even when wearing gloves
- 6 Patent-pending suspension system with comfort-designed headgear features dual-material technology for cushioned comfort
- 7 Smooth-pivoting action with positive stops in raised and lowered position
- 8 Ergonomically designed ratcheting headgear mechanism assures quick, easy adjustment to achieve an optimal fit
- 9 Simple push-button release system allows for easy visor exchange in seconds


Hard Hat Adapter



- 1 Hard hat accessory is compatible with most major hard hats (except full brim hard hats)
- 2 Intuitive visor attachment system for quick, easy visor replacement
- 3 Positive-locking hinge secures visor in raised and lowered positions
- 4 Leaves hard hat accessory slots free for additional protective equipment
- 5 Patented design centers visor over the head when in the raised position for greater balance and overhead clearance
- 6 Integrated brim guard ensures gap-free fit and protection from overhead debris

* Honeywell Turbosshield headgear and hard hat adapter are compatible with our complete family of Supervisor specialty visors including gold coated, triacetate and acetate to provide added flexibility to the range.

Honeywell



**You told us it's time
for a change.**

"It's my job to ensure my team is safe and if their face shields aren't comfortable they're not going to wear them."


– Safety Manager


At Honeywell, we set out to create a face shield to meet your needs and give you the protection you deserve. To do this we visited job sites around the world and talked with workers and safety managers so we could better understand the challenges you face. We heard first-hand about the issues you deal with when it comes to workplace face protection. We listened and we learned. You need a face shield with an easy visor exchange, that's more comfortable to wear and offers you better protection.





**That's why we created the revolutionary
Honeywell Turboshield.**

Honeywell

ORDERING INFORMATION

	HEADGEAR		
	Ref. nr.	Description	Shell Marking
	1031740	Turboshield Ratcheted Headgear, Black	HON 166 BT A 3 9 CE

	HARD HAT ADAPTER		
	Ref. nr.	Description	Shell Marking
	1031749	Turboshield Hard Hat Adapter,* Black	HON 166 BT A 3 9 CE

 Clear – ideal for most indoor work applications  Grey – minimizes outdoor sunlight and glare  Shade 3.0 – Welding shade for torch brazing operations  Shade 5.0 – Welding shade for cutting operations	REPLACEMENT VISORS			
	Ref. nr.	Description	Coatings	Visor Marking
	1031743	Clear PC Turbosshield Replacement Visor	Uncoated	2C-1.2 HON 1 BT A 3 9 CE
	1031744	Clear PC Turbosshield Replacement Visor	Hardcoat/Anti-Fog	2C-1.2 HON 1 BT A 3 9 K N CE
	1031745	Grey PC Turbosshield Replacement Visor	Uncoated	2C-2.5 / 5-2.5 HON 1 BT A 3 9 CE
	1031746	Grey PC Turbosshield Replacement Visor	Hardcoat/Anti-Fog	2C-2.5 / 5-2.5 HON 1 BT A 3 9 K N CE
	1031747	UV/IR Shade 3.0 PC Turbosshield Replacement Visor	Uncoated	3 HON 1 BT A 3 9 CE
	1031748	UV/IR Shade 5.0 PC Turbosshield Replacement Visor	Uncoated	5 HON 1 BT A 3 9 CE

Packaging Information

Replacement Visors

1/Polybag; 10/Master Case
 Master Case Weight: 2.7 kg
 Master Case Dimensions:
 305mm x 267mm x 254mm

Headgear

1/Polybag; 10/Master Case
 Master Case Weight: 5.0 kg
 Master Case Dimensions:
 622mm x 324mm x 578mm

Hard Hat Adapter

1/Polybag; 10/Master Case
 Master Case Weight: 2.3 kg
 Master Case Dimensions:
 314mm x 213mm x 356mm

*Hard Hat Adapter tested and approved for use on these hard hats: North - A59, A69, A79, A89; MSA - V-Gard; Centurion – Concept Full Peak, 1100; Schubert – Baumeister 80, Euroguard 4; Peltor – G2000; JSP – MK2.

Certified to the requirements of the EN166 standards

All Turbosshield Visors are certified UV protectors and provide protection against liquid and molten metal splash (EN166) and medium impact even at extremes of temperature (-5° C -55° C)

Lead them to safety – Build an enduring culture of safety where employees make safe choices on their own: www.honeywellsafety.com

HONEYWELL SAFETY PRODUCTS

UNITED KINGDOM

Honeywell Safety Products UK LTD
 Unit 3 Elmwood
 Chineham Park
 Basingstoke RG24 8WG
 United Kingdom
 Phone: +44 (0) 1256 693 200
 Fax: +44 (0) 1256 693 300
 Email: info-uk.hsp@honeywell.com

INTERNATIONAL

Honeywell Safety Products Europe SAS
 Immeuble Edison Paris Nord 2
 33, rue des Vanesses
 CS 55288 Villepinte
 95958 Roissy CDG Cedex – France
 Phone: +33 (0)1 49 90 79 79
 Fax: +33 (0)1 49 90 71 04
 Email: info-export.hsp@honeywell.com

