

A143 - Guanto Grip Soft Thermal

Collezione: Guanti protezione termica

Gamma: PROTEZIONE MANI

Materiali: Acrilico, Elasticizzato, Poliestere

Immersione:

Pacchetto interno: 12

Cartone esterno: 216

Informazioni prodotto

Ideale per gli ambienti freddi, questo modello è rivestito di lattice espanso che offre un'estrema traspirabilità, è morbido al tatto e fornisce prestazioni di presa superiori in condizioni di bagnato o asciutto.

Guanti protezione termica

Quando sono presenti pericoli termici da freddo, le capacità motorie delle mani possono essere notevolmente ridotte, con conseguente aumento del rischio di incidenti e lesioni. Sono disponibili guanti di protezione termica appositamente progettati per combattere questi pericoli in ambienti pericolosi.

PROTEZIONE MANI

È disponibile un'ampia e crescente gamma di modelli per la protezione delle mani. Per aiutare a soddisfare ogni esigenza. Nella produzione dell'ampia gamma di modelli per la protezione delle mani di Portwest vengono utilizzati solo i migliori materiali e metodi di fabbricazione....

Norme

EN ISO 21420: 2020 Destrezza 5

EN 388 : 2016+A1: 2018 (2142X)

EN 511: 2006 (X1X)



Caratteristiche

- Disegnato per utilizzo in condizioni di freddo
- Caldo rivestimento in acrilico calibro 10 per proteggere dal freddo
- Rivestimento in schiuma di lattice per un grip eccellente in condizioni di bagnato e asciutto
- Palmo a immersione per maggior destrezza e ventilazione
- Fodera traspirante senza cuciture
- Design ergonomico per comfort e facilità d'uso
- Blister che aiuta la presentazione per le vendite al dettaglio
- Certificato CE
- Marcato UKCA

A143 - Guanto Grip Soft Thermal

Codice doganale: 6116102091

Laboratorio

SATRA Technology Europe Ltd (Organismo certificatore n.: NB: 2777)
Bracetown Business Park
D15 YN2P, Ireland
Certificato numero: 2777/21750-01/E00-00

SATRA Technology Centre Ltd (Organismo certificatore n.: AB: 0321)
SATRA Technology Park
NN16 8SD, United Kingdom
Certificato numero: AB0321/18138-01/E00-00

Carton Dimensions/Weight

Item	Colour	Len	Wid	Hgt	Weight(Kg)	Cubic(m ³)	EAN13	DUN14
A143Y8RM	Giallo/Nero	43.0	28.0	60.0	0.0800	0.0722	5036108252688	15036108741424
A143Y8RL	Giallo/Nero	43.0	28.0	60.0	0.1000	0.0722	5036108252671	15036108741417
A143Y8RXL	Giallo/Nero	43.0	28.0	60.0	0.1000	0.0722	5036108252695	15036108741431

DICHIARAZIONE DI CONFORMITÀ DI TIPO UE REGOLAMENTO (UE) 2016/425 SUI DISPOSITIVI DI PROTEZIONE INDIVIDUALE

Questa dichiarazione di conformità è rilasciata sotto l'esclusiva responsabilità del produttore Portwest, IDA Industrial Park, Westport, Co. Mayo, F28 FY88, Ireland. Reg. 21284 dichiara che i seguenti Dispositivi di Protezione Individuale (DPI)

A143 - GUANTO GRIP SOFT THERMAL



è conforme alle disposizioni del regolamento sui DPI (UE) 2016/425 (Cat II) e soddisfa i requisiti essenziali di salute e sicurezza di cui all'allegato II e le relative norme armonizzate:

EN ISO 21420: 2020 Destrezza 5

EN 388 : 2016+A1: 2018 (2142X)

EN 511: 2006 (X1X)

Il DPI è identico al modello oggetto del certificato di esame UE del tipo (Modulo B) a cui si fa riferimento nel numero del certificato

2777/21750-01/E00-00

Rilasciato da: SATRA Technology Europe Ltd

Bracetown Business Park, Clonee, Dublin 15, D15 YN2P, Ireland (NB: 2777)

Firmato in nome e per conto di Portwest



Raymond Carney

Chief Operations Officer

Data: 01-Dec-2023



Issued to:

Portwest
IDA Business Park
Westport
Co Mayo
F28 FY88
Eire

Notified Body: 2777

SATRA customer number: P0214

EU Type-Examination Certificate

Certificate number: 2777/21750-01/E00-00

This EU Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation:

Following the EU Type-Examination this product group has been shown to satisfy the applicable essential health and safety requirements of Annex II of the PPE Regulation (EU) 2016/425 as a Category II product.

Product reference:

Description:

A143

Five fingered latex foam coated glove with an acrylic liner

Sizes:

Classification:

		EN 388:2016+A1:2018	Level	EN 511:2006	Level
6	XS	Abrasion Resistance	2	Convective Cold	X
7	S	Cut Resistance	1	Contact Cold	1
8	M	Tear Resistance	4	Water Penetration	X
9	L	Puncture Resistance	2		
10	XL	TDM Cut Resistance	X		
11	XXL				

Standards/Technical specifications applied:

EN ISO 21420:2020; EN 388:2016+A1:2018; EN 511:2006

Technical reports/Approval documents:

CTC: S190303246_1, S190303870_1, S160403399_1, S160605683_1, S170302061_1, S181013970_1, S161112740_1, S190303870

Date first issued: 27/06/2022

Date of issue: 27/06/2022

Expiry date: 27/06/2027

Signed on behalf of SATRA:

Geoff Graham

TERMS AND CONDITIONS

The following conditions apply in addition to SATRA's standard terms and conditions of business and those given in the current certification agreement. This certificate has been issued in accordance with Annex V (Module B) of the applicable legislation (see note 11).

Please note:

1. Where the product is classified as category III then CE or UKCA Marking of production is reliant on current compliance with module C2 or Module D of the applicable legislation (See note 11). (Except that specifically produced to fit an individual user).
2. Full details of the scope of the certification and product(s) certified are contained within the manufacturer's technical documentation.
3. Where a translation of this certificate exists, the English language version shall be considered as the authoritative text.
4. Certification is limited to production undertaken at the sites listed in the manufacturer's technical documentation.
5. Ongoing manufactured product shall be consistent with the product(s) certified and listed on this certificate and an EU declaration of product conformity shall be made available in accordance with the applicable legislation (See note 11)
6. The Manufacturer shall inform SATRA of any changes to the certified product or technical documentation.
7. Where results obtained during type testing are within the budget of uncertainty when compared to the pass requirement, classification or performance level, then it is the responsibility of the manufacturer to ensure that the factory production control and manufacturing tolerances are such that the product placed on the market meets with the stated requirements, classifications or performance levels.
8. This certificate shall be kept together with the relevant technical documentation in a safe place by the client named on this certificate. Production of this certificate and other documentation may be required by a representative of the EC member state, or UK government.
9. This certificate relates only to the condition of the testable items at the time of the certification procedure and is subject to the expiry date shown.
10. SATRA reserves the right to withdraw this certificate if it is found that a condition of manufacture, design, materials or packaging have been changed and therefore no longer comply with the requirements of the applicable legislation (See note 11).
11. These terms and conditions shall apply to the requirements set out in Regulation (EU) 2016/425 of the European Parliament and of the council of 9th March 2016 on personal protective equipment or to UK legislation relating to UKCA Marking as defined within the issued certificate.