

A197 - Guanti Antistatici

Collezione: Guanti ESD

Gamma: PROTEZIONE MANI

Materiali: Poliestere, Fibra di carbonio, Elasticizzato

Pacchetto interno: 12

Cartone esterno: 480

Informazioni prodotto

Costruiti con un'avanzata miscela di poliestere e fibra di carbonio. Questo guanto protegge le apparecchiature come i circuiti stampati dagli oli naturali della pelle, proteggendo anche le apparecchiature sensibili dalle dannose scariche statiche.

Guanti ESD

PROTEZIONE MANI

È disponibile un'ampia e crescente gamma di modelli per la protezione delle mani. Per aiutare a soddisfare ogni esigenza. Nella produzione dell'ampia gamma di modelli per la protezione delle mani di Portwest vengono utilizzati solo i migliori materiali e metodi di fabbricazione....

Norme

EN ISO 21420: 2020 Destrezza 5

EN 388 : 2016+A1: 2018 (113XX)

Passato Livello R < 1.0 x 108 Ω -

IEC 61340-5-1:2016



Caratteristiche

- Adatto per l'uso in ambienti ESD
- Questo guanto può essere utilizzato con la maggior parte dei dispositivi mobili touchscreen.
- Blister che aiuta la presentazione per le vendite al dettaglio
- Costruzione a basso rilascio di fibre per una minima contaminazione
- Calibro 13 senza cuciture
- Certificato CE
- Marcato UKCA

A197 - Guanti Antistatici**Codice doganale: 6116930000****Laboratorio**

SATRA Technology Europe Ltd (Organismo certificatore n...: NB: 2777)

Bracetown Business Park

D15 YN2P, Ireland

Certificato numero: 2777/16558-01/E00-00

SATRA Technology Centre Ltd (Organismo certificatore n...: AB: 0321)

SATRA Technology Park

NN16 8SD, United Kingdom

Certificato numero: AB0321/17363-01/E00-00

Carton Dimensions/Weight

Item	Colour	Len	Wid	Hgt	Weight(Kg)	Cubic(m ³)	EAN13	DUN14
A197GRRXS	Grigio	65.0	45.0	44.0	0.0170	0.1287	5036108247349	15036108735973
A197GRRS	Grigio	65.0	45.0	44.0	0.0200	0.1287	5036108247332	15036108735966
A197GRRM	Grigio	65.0	45.0	44.0	0.0220	0.1287	5036108247325	15036108735959
A197GRRL	Grigio	65.0	45.0	44.0	0.0230	0.1287	5036108247318	15036108735942
A197GRRXL	Grigio	65.0	45.0	44.0	0.0240	0.1287	5036108309818	15036108798411

DICHIARAZIONE DI CONFORMITÀ DI TIPO UE REGOLAMENTO (UE) 2016/425 SUI DISPOSITIVI DI PROTEZIONE INDIVIDUALE

Questa dichiarazione di conformità è rilasciata sotto l'esclusiva responsabilità del produttore Portwest, IDA Industrial Park, Westport, Co. Mayo, F28 FY88, Ireland. Reg. 21284 dichiara che i seguenti Dispositivi di Protezione Individuale (DPI)

A197 - GUANTI ANTISTATICI



è conforme alle disposizioni del regolamento sui DPI (UE) 2016/425 (Cat II) e soddisfa i requisiti essenziali di salute e sicurezza di cui all'allegato II e le relative norme armonizzate:

EN ISO 21420: 2020 Destrezza 5

EN 388 : 2016+A1: 2018 (113XX)

Passato Livello R < 1.0 x 10⁸ Ω - (2014)

IEC 61340-5-1:2016 (2016)

Il DPI è identico al modello oggetto del certificato di esame UE del tipo (Modulo B) a cui si fa riferimento nel numero del certificato

2777/16558-01/E00-00

Rilasciato da: SATRA Technology Europe Ltd

Bracetown Business Park, Clonee, Dublin 15, D15 YN2P, Ireland (NB: 2777)

Firmato in nome e per conto di Portwest

A handwritten signature in blue ink, appearing to read 'Ray Carney', written over a horizontal line.

Raymond Carney

Chief Operations Officer

Data: 30-Nov-2023



Issued to:

Portwest
IDA Industrial Park
Westport
County Mayo
F28 FY88
Eire

Notified Body: 2777

SATRA customer number: P0214

EU Type-Examination Certificate

Certificate number: 2777/16558-01/E00-00

This EU Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation:

Following the EU Type-Examination this product group has been shown to satisfy the applicable essential health and safety requirements of Annex II of the PPE Regulation (EU) 2016/425 as a Category II product.

Product reference:	Description:
A197	Five fingered non coated carbon fiber, nylon glove

Sizes:	Classification:
6 XS	EN 388:2016+A1:2018
7 S	Abrasion Resistance
8 M	Blade Cut Resistance
9 L	Tear Resistance
10 XL	Puncture Resistance
11 XXL	TDM Cut resistance
	Level
	1
	1
	3
	X
	X

Standards/Technical specifications applied:
EN ISO 21420:2020; EN 388:2016+A1:2018

Technical reports/Approval documents:
CTC: S160403315_1, S190302917_1, S150705019_2, S160301002_1, S180301783_2

Signed on behalf of SATRA:

Quincey Brown

Date first issued: 07/05/2021
Date of issue: 07/05/2021
Expiry date: 07/05/2026

TERMS AND CONDITIONS

The following conditions apply in addition to SATRA's standard terms and conditions of business and those given in the current certification agreement. This certificate has been issued in accordance with Annex V (Module B) of the applicable legislation (see note 11).

Please note:

1. Where the product is classified as category III then CE or UKCA Marking of production is reliant on current compliance with module C2 or Module D of the applicable legislation (See note 11). (Except that specifically produced to fit an individual user).
2. Full details of the scope of the certification and product(s) certified are contained within the manufacturer's technical documentation.
3. Where a translation of this certificate exists, the English language version shall be considered as the authoritative text.
4. Certification is limited to production undertaken at the sites listed in the manufacturer's technical documentation.
5. Ongoing manufactured product shall be consistent with the product(s) certified and listed on this certificate and an EU declaration of product conformity shall be made available in accordance with the applicable legislation (See note 11)
6. The Manufacturer shall inform SATRA of any changes to the certified product or technical documentation.
7. Where results obtained during type testing are within the budget of uncertainty when compared to the pass requirement, classification or performance level, then it is the responsibility of the manufacturer to ensure that the factory production control and manufacturing tolerances are such that the product placed on the market meets with the stated requirements, classifications or performance levels.
8. This certificate shall be kept together with the relevant technical documentation in a safe place by the client named on this certificate. Production of this certificate and other documentation may be required by a representative of the EC member state, or UK government.
9. This certificate relates only to the condition of the testable items at the time of the certification procedure and is subject to the expiry date shown.
10. SATRA reserves the right to withdraw this certificate if it is found that a condition of manufacture, design, materials or packaging have been changed and therefore no longer comply with the requirements of the applicable legislation (See note 11).
11. These terms and conditions shall apply to the requirements set out in Regulation (EU) 2016/425 of the European Parliament and of the council of 9th March 2016 on personal protective equipment or to UK legislation relating to UKCA Marking as defined within the issued certificate.