

### AP50 - Guanto Aqua Cut Pro

**Collezione:** Guanti Aqua

**Gamma:** Guanti

**Materiali:** HPPE, Poliestere, Nylon, Fibra di vetro, Elastane

**Immersione:** - 40.0000%

**Pacchetto interno:** 12

**Cartone esterno:** 144

### Informazioni prodotto

Il guanto Aqua Cut Pro completamente rivestito offre una resistenza al taglio di livello D. Il primo strato è in nitrile liscio ed il secondo è in schiuma di nitrile, fornendo una presa sicura ed una barriera contro gli agenti contaminanti. Il polsino elastico fornisce una comoda e sicura vestibilità.

### Guanti Aqua

L'ultima barriera all'acqua, ai liquidi e alle sostanze non aggressive. La gamma Aqua comprende sia guanti ad alta resistenza all'acqua che a prova d'acqua.

### Guanti

È disponibile un'ampia e crescente gamma di modelli per la protezione delle mani. Per aiutare a soddisfare ogni esigenza. Nella produzione dell'ampia gamma di modelli per la protezione delle mani di Portwest vengono utilizzati solo i migliori materiali e metodi di fabbricazione....

### Norme

EN ISO 21420 Destrezza 5

EN 388 : 2016+A1: 2018 - (4X44D)

ANSI/ISEA 105: 2016 Livello TAGLIO (A4)



### Caratteristiche

- Resistenza al taglio di livello D
- Calibro 13 senza cuciture
- Protegge da tagli e abrasioni
- Doppia immersione per la massima repellenza ai liquidi
- Finitura sabbia per un migliore grip in acqua, grasso o olio.
- Contro la penetrazione di grasso, olio e acqua
- Certificato CE
- Blister che aiuta la presentazione per le vendite al dettaglio
- ANSI Livello al taglio A4
- Marcato UKCA

**AP50 - Guanto Aqua Cut Pro**  
**Codice doganale: 6116108091****Laboratorio**

SATRA Technology Europe Ltd (Organismo certificatore n...: NB: 2777)  
Bracetown Business Park  
D15 YN2P, Ireland  
Certificato numero: 2777/14756-01/E00-00

**Carton Dimensions/Weight**

Item	Colour	Len	Wid	Hgt	Weight(Kg)	Cubic(m <sup>3</sup> )	EAN13	DUN14
AP50B8RS	Blu/Nero	65.0	45.0	36.0	0.1000	0.1053	5036108278251	15036108768353
AP50B8RM	Blu/Nero	65.0	45.0	36.0	0.1140	0.1053	5036108278244	15036108768346
AP50B8RL	Blu/Nero	65.0	45.0	36.0	0.1220	0.1053	5036108278237	15036108768339
AP50B8RXL	Blu/Nero	65.0	45.0	36.0	0.1200	0.1053	5036108278268	15036108768360
AP50B8RXXL	Blu/Nero	65.0	45.0	36.0	0.1340	0.1053	5036108278275	15036108768377

### DICHIARAZIONE DI CONFORMITÀ DI TIPO UE REGOLAMENTO (UE) 2016/425 SUI DISPOSITIVI DI PROTEZIONE INDIVIDUALE

Questa dichiarazione di conformità è rilasciata sotto l'esclusiva responsabilità del produttore Portwest, IDA Industrial Park, Westport, Co. Mayo, F28 FY88, Ireland. Reg. 21284 dichiara che i seguenti Dispositivi di Protezione Individuale (DPI)

#### **AP50 - GUANTO AQUA CUT PRO**



è conforme alle disposizioni del regolamento sui DPI (UE) 2016/425 (Cat II) e soddisfa i requisiti essenziali di salute e sicurezza di cui all'allegato II e le relative norme armonizzate:

EN ISO 21420 Destrezza 5

EN 388 : 2016+A1: 2018 - (4X44D)

ANSI/ISEA 105: 2016 Livello TAGLIO (A4) (2016)

Il DPI è identico al modello oggetto del certificato di esame UE del tipo (Modulo B) a cui si fa riferimento nel numero del certificato

**2777/14756-01/E00-00**

Rilasciato da: SATRA Technology Europe Ltd

Bracetown Business Park, Clonee, Dublin 15, D15 YN2P, Ireland (NB: 2777)

Firmato in nome e per conto di Portwest



Raymond Carney

Chief Operations Officer

Data: 24-Jan-2023

# EU Type-Examination Certificate

## Certificate number: 2777/14756-01/E00-00

This EU Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation:

Following the EU Type-Examination this product group has been shown to satisfy the applicable essential health and safety requirements of Annex II of the PPE Regulation (EU) 2016/425 as a Category II product.

**Product reference:**

AP50

**Description:**

Five fingered comprised of 13G HPPE with steel liner shell with fully blue nitrile coating and black sandy nitrile coating over the palm and fingers.

**Sizes:**

7(S)  
8(M)  
9(L)  
10(XL)  
11(XXL)

**Classification:**

**EN 388:2016+A1:2018**


**Level**

Abrasion resistance	4
Blade cut resistance	X
Tear resistance	4
Puncture resistance	4
TDM cut resistance	D

Standards/Technical specifications applied:  
EN 388:2016+A1:2018; EN 420: 2003+A1: 2009

Technical reports/Approval documents:  
SATRA: CHT0296422/2012, CHT0293232 Issue 2/1951  
CTC: S160605952\_1, S160302320\_1, S160302319\_1, S161112053\_1, S150906802\_1

Signed on behalf of SATRA:



Ting Huang



Quincey Brown

**Date first issued: 03/07/2020**  
**Date of issue: 03/07/2020**

**Expiry date: 03/07/2025**

# TERMS AND CONDITIONS

The following conditions apply in addition to SATRA's standard terms and conditions of business and those given in the current certification agreement.

The certificate holder is licensed to mark the products detailed within this certificate in accordance with Annex V (Module B) of the Regulation (EU) 2016/425 of the European Parliament and of the council of 9th March 2016 on personal protective equipment once you have drawn up an EU declaration of product conformity.

Please note:

1. Where the product is classified as category III then CE Marking of production is reliant on current compliance with Regulation 2016/425 module C2 or Module D. (Except that specifically produced to fit an individual user).
2. Full details of the scope of the certification and product(s) certified are contained within the manufacturer's technical documentation.
3. Where a translation of this certificate exists, the English language version shall be considered as the authoritative text.
4. Certification is limited to production undertaken at the sites listed in the manufacturers technical documentation.
5. Ongoing manufactured product shall be consistent with the product(s) certified and listed on this certificate.
6. The Manufacturer shall inform SATRA of any changes to the certified product or technical documentation.
7. Where results obtained during type testing are within the budget of uncertainty when compared to the pass requirement, classification or performance level, then it is the responsibility of the manufacturer to ensure that the factory production control and manufacturing tolerances are such that the product placed on the market meets with the stated requirements, classifications or performance levels.
8. This certificate shall be kept together with the relevant technical documentation in a safe place by the client named on this certificate. Production of this certificate and other documentation may be required by a representative of the EC member state government.
9. This certificate relates only to the condition of the testable items at the time of the certification procedure and is subject to the expiry date shown.
10. SATRA reserves the right to withdraw this certificate if it is found that a condition of manufacture, design, materials or packaging have been changed and therefore no longer comply with the requirements of Regulation 2016/425.