

FR10 - Polo manica lunga antistatica ignifuga

Collezione: Modaflame Knit

Gamma: Protezione ignifuga

Tessuto esterno: Maglia Modaflame:
60% Modacrilico, 39% Cotone, 1%
Fibra di carbonio 200g

Informazioni prodotto

Adatta a climi più freddi e ideale per i lavoratori nelle industrie esposte al calore. L'elegante design del capo presenta un'abbottonatura a 3 bottoni, rifinita con colletto e polsini a coste.

Norme

ELIM TESTING IN PROGRESS

EN 1149 -5

EN ISO 11612 (A1, B1, C1, F1)

IEC 61482-2 IEC 61482-1-2 Class 1

ASTM F1959/F1959M-12 (EBT = 4.3 CAL/CM² (HAF = 66%))



Modaflame Knit

Costruita da un tessuto intrinsecamente ignifugo in 60% Modacrilico, 39% Cotone e 1% Fibra di carbonio. Testato per superare gli standard EN, la maglia in Modaflame è forte, durevole e altamente innovativa.

Protezione ignifuga

Questa gamma resistente alla fiamma leader del settore offre una protezione multi-norma per ambienti pericolosi. Lo stato d'arte dei nostri prodotti è il risultato di anni di esperienza e dell'utilizzo delle più avanzate tecnologie. Siamo impegnati nel salvaguardare la salute e la sicurezza di chi lavora con una vasta gamma di prodotti adatti ad ogni esigenza.

Caratteristiche

- CE-CAT III
- Le qualità ignifughe intrinseche non diminuiscono con il lavaggio
- Tessuto traspirante per allontanare l'umidità dal corpo mantenendo chi lo indossa fresco, asciutto e comodo
- ottima solidità di colore e resistenza al restringimento
- Tessuto 50+ UPF per bloccare il 98% dei raggi UV
- Polsino a coste ignifugo per maggiore sicurezza



	Corto	Reg	Tall	XTall
Navy		XS - 5XL		
Nero		S - 3XL		
Grigio		S - 3XL		

PORTWEST®

PRODUCT SPECIFICATION & TECHNICAL DATA

FR10 - Polo manica lunga antistatica ignifuga

Codice doganale: 6105201000

Laboratorio

SATRA Technology Europe Ltd (Organismo certificatore n.: 2777)

Bracetown Business Park

D15 YN2P, Ireland

Certificato numero: 2777/13282-03/E00-00

Istruzioni lavaggio



DIMENSIONI/PESO DEL CARTONE

Articolo	Colore	Lunghezza	Larghezza	Altezza	Peso (Kg)	Cubico (m ³)	EAN13	DUN14
FR10BKRS	Nero	55.0	36.0	42.0	0.3600	0.0832	5036108224241	15036108711588
FR10BKRM	Nero	55.0	36.0	42.0	0.3800	0.0832	5036108224234	15036108711571
FR10BKRL	Nero	55.0	36.0	42.0	0.4000	0.0832	5036108224227	15036108711564
FR10BKRXL	Nero	55.0	36.0	42.0	0.4200	0.0832	5036108224258	15036108711595
FR10BKRXXL	Nero	55.0	36.0	50.0	0.4400	0.0990	5036108224265	15036108711601
FR10BKRXXXL	Nero	55.0	36.0	50.0	0.4600	0.0990	5036108224272	15036108711618

Questa dichiarazione di conformità è rilasciata sotto la sola responsabilità del produttore:
Portwest, IDA Industrial Park, Westport, Co Mayo, F28 FY88, Ireland. Reg No. 21284

Portwest dichiara che:

FR10 - Polo manica lunga antistatica ignifuga - CAT III Module D



il prodotto presente in questa dichiarazione soddisfa i requisiti essenziali di sicurezza e salute del regolamento (UE) 2016/425 sui DPI - CAT III Module D

e, dove previsto, con la norma nazionale che recepisce la norma armonizzata No:

EN ISO 11612 (A1, B1, C1, F1) (2015)
IEC 61482-2 IEC 61482-1-2 Class 1 (2009)
ASTM F1959/F1959M-12 (EBT = 4.3 CAL/CM² (HAF = 66%)) (2013)
EN 1149 -5 (2018)
ELIM TESTING IN PROGRESS ()

Questo DPI è identico al modello soggetto al CERTIFICATO DI PROVA UE emesso dall'Organismo Notificato

SATRA Technology Europe Ltd (Organismo certificatore n.: 2777)
Bracetown Business Park
D15 YN2P, Ireland
CERTIFICATO DI PROVA UE No.: 2777/13282-03/E00-00

Il DPI è soggetto alla procedura di valutazione della conformità Conformità basata sull'assicurazione della qualità del processo di produzione (regolamento DPI 2016/425 - modulo D) Sotto la sorveglianza dell'organismo notificato:

Firmato in nome e per conto di



Raymond Carney
Chief Operations Officer

Fatto a: Portwest, IDA Industrial Park, Westport, F28 FY88, Co. Mayo, Irlanda in
data 02-Apr-2021

EU Type-Examination Certificate

Certificate number: 2777/13282-03/E00-00

This EU Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation:

Following the EU Type-Examination this product group has been shown to satisfy the applicable essential health and safety requirements of Annex II of the PPE Regulation (EU) 2016/425 as a Category III product.

Product reference:	Description:
	Fire Resistant and Anti-Static garments- Knitted Fabric: 60% Modacrylic, 39% Cotton, 1% Carbon Fibre;
FR10	Long sleeved Polo shirt
FR11	Long sleeved T-shirt
FR03	Long sleeved Polo shirt with reflective tape
FR77	Long sleeved Polo shirt in High Visibility Yellow with 2 torso, arm and shoulder bands of retroreflective tape. Smallest size in range: XS Chest girth: 98cm.
FR74	Long sleeved Polo shirt in High Visibility Yellow with contrast navy panels to the lower torso and arms and contrast collar. Two bands of retro-reflective tape around the torso and two around each arm. Smallest size in range: XS. Chest Girth 98cm
W3010	Long sleeved Polo shirt
W2274	Long sleeved two tone polo shirt
W6018	Long sleeved Polo shirt with reflective tape

Classification

	FR77	FR74	FR10, FR11, W3010 FR03, W6018, W2274
EN ISO 20471:2013+A1:2016			
Area of visible material	3	2	
EN ISO 11612:2015	A1, B1, C1, F1		A1, B1, C1, F1
EN1149-5:2018	PASS		PASS
EN 61482-1-1:2009			
Arc rating	4.3 cal/cm ²		4.3 cal/cm ²
IEC 61482-2:2009	Class 1		Class 1

Standards/Technical specifications applied:

EN ISO 11612:2015; EN 1149-5: 2018; EN ISO 13688 :2013; EN ISO 20471:2013+A1:2016; EN 61482-1-2:2007

Technical reports/Approval documents:

SATRA: SPC0185122/1020/2, SPC0216614/1329, SPC0255458/1711
TNO: T.0817293; Intertek: GZH00497071, WYMTS 39581, 95401-01, 95401, 69053, 69053, 69053-03
BTTG: 11/19610/PJH; SGS: HZSL 1502008268TX; Aitex: 2018EP1045, 2018EP1335. Kinetrics: K-418444-002-R01
WYMTS EC Type: EC77982, EC66165, EC68443, EC68443-01, EC83053.

Signed on behalf of SATRA:



Andrew Craggs



Quincey Brown

Date first issued: 30/08/2019

Date of issue: 18/10/2019

Expiry date: 30/08/2024

TERMS AND CONDITIONS

The following conditions apply in addition to SATRA's standard terms and conditions of business and those given in the current certification agreement.

The certificate holder is licensed to mark the products detailed within this certificate in accordance with Annex V (Module B) of the Regulation (EU) 2016/425 of the European Parliament and of the council of 9th March 2016 on personal protective equipment once you have drawn up an EU declaration of product conformity.

Please note:

1. Where the product is classified as category III then CE Marking of production is reliant on current compliance with Regulation 2016/425 module C2 or Module D. (Except that specifically produced to fit an individual user).
2. Full details of the scope of the certification and product(s) certified are contained within the manufacturer's technical documentation.
3. Where a translation of this certificate exists, the English language version shall be considered as the authoritative text.
4. Certification is limited to production undertaken at the sites listed in the manufacturers technical documentation.
5. Ongoing manufactured product shall be consistent with the product(s) certified and listed on this certificate.
6. The Manufacturer shall inform SATRA of any changes to the certified product or technical documentation.
7. Where results obtained during type testing are within the budget of uncertainty when compared to the pass requirement, classification or performance level, then it is the responsibility of the manufacturer to ensure that the factory production control and manufacturing tolerances are such that the product placed on the market meets with the stated requirements, classifications or performance levels.
8. This certificate shall be kept together with the relevant technical documentation in a safe place by the client named on this certificate. Production of this certificate and other documentation may be required by a representative of the EC member state government.
9. This certificate relates only to the condition of the testable items at the time of the certification procedure and is subject to the expiry date shown.
10. SATRA reserves the right to withdraw this certificate if it is found that a condition of manufacture, design, materials or packaging have been changed and therefore no longer comply with the requirements of Regulation 2016/425.