

### FR71 - Gilet Hi-Vis ignifugo - antistatico

**Collezione:** Abbigliamento da Lavoro Bizflame

**Gamma:** Protezione ignifuga

**Tessuto esterno:** Bizflame Work Antistatico: 98% Poliestere, 2% Fibra di carbonio, ordito a maglia 120g

### Informazioni prodotto

Le caratteristiche includono banda riflettente da 5cm di larghezza, due lungo il corpo e una per ogni spalla. Leggero e confortevole, è perfetto per essere utilizzato con le temperature più calde.

### Norme

AS 4602.1 Class D/N  
EN ISO 14116 Index 1  
EN 1149 -5  
RIS-3279-TOM ISSUE 1 (ORANGE ONLY)  
AS/NZS 1906.4  
EN ISO 20471 Class 2



### Abbigliamento da Lavoro Bizflame

La linea BIZFLAME WORK è sviluppata con il nuovo rivoluzionario tessuto Ignifugo, antistatico ad alta visibilità progettato espressamente per una condizione di maggiore sicurezza. Resistente, versatile e facile da ripiegare, per i professionisti del lavoro.

### Protezione ignifuga

Questa gamma resistente alla fiamma leader del settore offre una protezione multi-norma per ambienti pericolosi. Lo stato d'arte dei nostri prodotti è il risultato di anni di esperienza e dell'utilizzo delle più avanzate tecnologie. Siamo impegnati nel salvaguardare la salute e la sicurezza di chi lavora con una vasta gamma di prodotti adatti ad ogni esigenza.

### Caratteristiche

- Certificato CE
- Antistatico
- Banda riflettente ignifuga cucita Premium
- Chiusura con fettuccia a strappo per un facile accesso
- Leggero e confortevole
- Vestibilità abbondante per un maggior comfort



	Corto	Reg	Tall	XTall
Giallo		S/M - 4XL/5XL		
Arancione		S/M - XXL/3XL		

# PORTWEST®

## PRODUCT SPECIFICATION & TECHNICAL DATA

### FR71 - Gilet Hi-Vis ignifugo - antistatico

Codice doganale: 6110309100

#### Laboratorio

SATRA Technology Europe Ltd (Organismo certificatore n.: 2777)

Bracetown Business Park

D15 YN2P, Ireland

Certificato numero: 2777/13881-01/E00-00

#### Istruzioni lavaggio



#### DIMENSIONI/PESO DEL CARTONE

Articolo	Colore	Lunghezza	Larghezza	Altezza	Peso (Kg)	Cubico (m <sup>3</sup> )	EAN13	DUN14
FR71ORRS/M	Arancione	43.0	28.0	46.0	0.2800	0.0554	5036108255900	15036108744821
FR71ORRL/XL	Arancione	43.0	28.0	46.0	0.2800	0.0554	5036108255894	15036108744814
FR71ORRXX/3X	Arancione	43.0	28.0	46.0	0.2900	0.0554	5036108255917	15036108744838

Questa dichiarazione di conformità è rilasciata sotto la sola responsabilità del produttore:  
Portwest, IDA Industrial Park, Westport, Co Mayo, F28 FY88, Ireland. Reg No. 21284

Portwest dichiara che:

**FR71 - Gilet Hi-Vis ignifugo - antistatico - CAT II**



il prodotto presente in questa dichiarazione soddisfa i requisiti essenziali di sicurezza e salute del regolamento (UE) 2016/425 sui DPI - CAT II

e, dove previsto, con la norma nazionale che recepisce la norma armonizzata No:

EN ISO 20471 Class 2 (EN ISO 20471:2013 + A1:2016)  
EN 1149 -5 (2018)  
AS 4602.1 Class D/N (2011)  
RIS-3279-TOM ISSUE 1 (ORANGE ONLY) ()  
EN ISO 14116 Index 1 (2015)  
AS/NZS 1906.4 (2010)

Questo DPI è identico al modello soggetto al CERTIFICATO DI PROVA UE emesso dall'Organismo Notificato

SATRA Technology Europe Ltd (Organismo certificatore n...: 2777)  
Bracetown Business Park  
D15 YN2P, Ireland  
CERTIFICATO DI PROVA UE No.: 2777/13881-01/E00-00

Firmato in nome e per conto di



Raymond Carney

Chief Operations Officer

Fatto a: Portwest, IDA Industrial Park, Westport, F28 FY88, Co. Mayo, Irlanda in  
data 06-Apr-2021

# EU Type-Examination Certificate

## Certificate number: 2777/13881-01/E00-00

This EU Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation:

Following the EU Type-Examination this product group has been shown to satisfy the applicable essential health and safety requirements of Annex II of the PPE Regulation (EU) 2016/425 as a Category II product.

**Product reference:****Description:**

FR71

High visibility, flame resistant, antistatic garments in Orange or Yellow warp knitted 98% polyester, 2% antistatic fibre fabric (120g/m<sup>2</sup>).

FR85

Vest with two bands of retro reflective tape around the torso and one over each shoulder.

Jacket with two bands of retro reflective tape around the torso and each arm and one over each shoulder.

Available in sizes S/M and above.

These garments are designed to be worn over FR garments of at least index 2 to EN ISO 14116 in accordance with the supplied user information.

Orange fabric only meets the requirements for RIS-3279-TOM

**Classification:****EN ISO 20471:2013+A1:2016**

Area of visible material

**EN ISO 14116:2015****EN 1149-5:2018****FR71**

Class 2

Index 1

Pass

**FR85**

Class 3

Index 1

Pass

**Standards/Technical specifications applied:**

EN ISO 20471:2013+A1:2016; EN ISO 14116:2015; EN 1149-5: 2018; EN ISO 13688 :2013

**Technical reports/Approval documents:**

SATRA: SPC0255458/1711 tape&amp;labels

WYMTS: 56142, 56142-01, 56547, 55494, 81999, 57130-02. EC Type EC68616, EC81947

BTTG: 30/06048/1, 30/06084/3. TUV: 15059436 001,

SGS SH10025188/TX

Signed on behalf of SATRA:



Andrew Craggs



Quincey Brown

**Date first issued: 03/01/2020****Date of issue: 03/01/2020****Expiry date: 03/01/2025**

# TERMS AND CONDITIONS

The following conditions apply in addition to SATRA's standard terms and conditions of business and those given in the current certification agreement.

The certificate holder is licensed to mark the products detailed within this certificate in accordance with Annex V (Module B) of the Regulation (EU) 2016/425 of the European Parliament and of the council of 9th March 2016 on personal protective equipment once you have drawn up an EU declaration of product conformity.

Please note:

1. Where the product is classified as category III then CE Marking of production is reliant on current compliance with Regulation 2016/425 module C2 or Module D. (Except that specifically produced to fit an individual user).
2. Full details of the scope of the certification and product(s) certified are contained within the manufacturer's technical documentation.
3. Where a translation of this certificate exists, the English language version shall be considered as the authoritative text.
4. Certification is limited to production undertaken at the sites listed in the manufacturers technical documentation.
5. Ongoing manufactured product shall be consistent with the product(s) certified and listed on this certificate.
6. The Manufacturer shall inform SATRA of any changes to the certified product or technical documentation.
7. Where results obtained during type testing are within the budget of uncertainty when compared to the pass requirement, classification or performance level, then it is the responsibility of the manufacturer to ensure that the factory production control and manufacturing tolerances are such that the product placed on the market meets with the stated requirements, classifications or performance levels.
8. This certificate shall be kept together with the relevant technical documentation in a safe place by the client named on this certificate. Production of this certificate and other documentation may be required by a representative of the EC member state government.
9. This certificate relates only to the condition of the testable items at the time of the certification procedure and is subject to the expiry date shown.
10. SATRA reserves the right to withdraw this certificate if it is found that a condition of manufacture, design, materials or packaging have been changed and therefore no longer comply with the requirements of Regulation 2016/425.